

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERC United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
09/848,465	05/03/2001	Igor Philip Passos Proglhof	J&J-1735	6958	
27777	7590 06/02/2005		EXAM	EXAMINER	
PHILIP S. JOHNSON JOHNSON & JOHNSON			STEPHENS, JACQUELINE F		
	ON & JOHNSON PLAZ	ART UNIT	PAPER NUMBER		
NEW BRUN	SWICK, NJ 08933-700	3	3761		
			DATE MAILED: 06/02/200	5	

Please find below and/or attached an Office communication concerning this application or proceeding.

				_	ww			
		Application	n No.	Applicant(s)				
Office Action Summary		09/848,46	5	PROGLHOF ET AL				
		Examiner		Art Unit				
			F. Stephens	3761				
Period fo	The MAILING DATE of this communication or Reply	appears on the	cover sheet with the	correspondence add	ress			
THE - Exte after - If the - If NC - Failt Any	ORTENED STATUTORY PERIOD FOR REMAILING DATE OF THIS COMMUNICATION IN THE PROPERTY OF THIS COMMUNICATION IN THE PROPERTY OF THE	ON. FR 1.136(a). In no eve n. a reply within the statu eriod will apply and wil statute, cause the appl	nt, however, may a reply be tory minimum of thirty (30) do lexpire SIX (6) MONTHS fro cation to become ABANDON	imely filed  ays will be considered timely.  the mailing date of this con  ED (35 U.S.C. § 133).				
Status								
1)⊠	Responsive to communication(s) filed on j	18 November 20	004 and 18 April 200	<b>5</b> .				
·	This action is FINAL. 2b)⊠ This action is non-final.							
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposit	ion of Claims							
5)□ 6)⊠ 7)□	Claim(s) 1,3-14,17 and 18 is/are pending in the application.  4a) Of the above claim(s) is/are withdrawn from consideration.  Claim(s) is/are allowed.  Claim(s) 1, 3-14, 17, and 18 is/are rejected.  Claim(s) is/are objected to.  Claim(s) are subject to restriction and/or election requirement.							
Applicat	ion Papers							
10)	The specification is objected to by the Example The drawing(s) filed on is/are: a) Applicant may not request that any objection to Replacement drawing sheet(s) including the control of the oath or declaration is objected to by the	accepted or b) the drawing(s) b prection is require	e held in abeyance. S ed if the drawing(s) is o	ee 37 CFR 1.85(a). bjected to. See 37 CFI				
,								
12) 🗌 a)	Acknowledgment is made of a claim for for All b) Some * c) None of:  1. Certified copies of the priority docur  2. Certified copies of the priority docur  3. Copies of the certified copies of the application from the International Bussee the attached detailed Office action for a	ments have bee ments have bee priority docume ureau (PCT Rule	n received. n received in Applica nts have been recei e 17.2(a)).	ation No ved in this National S	Stage			
2) Notion Notion Notion Notion	et(s)  Due of References Cited (PTO-892)  Due of Draftsperson's Patent Drawing Review (PTO-948)  Mation Disclosure Statement(s) (PTO-1449 or PTO/Ser No(s)/Mail Date		4) Interview Summa Paper No(s)/Mail 5) Notice of Informal 6) Other:		-152)			

## **DETAILED ACTION**

## Response to Arguments

Applicant's arguments filed 11/18/04 have been fully considered but they are not persuasive. Applicant repeats the argument that Plischke does not teach an absorbent core formed from a wet laid paper. Applicant argues Young et al teaches that the acquisition/distribution layer 110 may be made from a wet laid material and Young et al. fails to suggest in any absorbent article that includes a core as recited in the claimed invention; and that one skilled in the art would be taught to use a wet-laid material as the acquisition/distribution layer, not a core as suggested by the examiner. However, the examiner recognizes the deficiencies of Plischke with regard to a teaching of a wetlaid sheet and sought to correct that deficiency using Young who teaches the benefits of a wetlaid sheet, one of which is structural integrity, which both Plischke and Young teach is desired. Additionally, Plischke teaches the substrate layers (absorption sheets) used to enclose the superabsorbent materials additionally serve as a distributing means for improving the distribution of applied liquids to be absorbed in the absorbent composite structure (col. 16, lines 13-16). Based on the teaching of Plischke as desiring a substrate with good distribution and wet strength properties and the teaching of Young as providing a wetlaid sheet with those properties, the examiner maintains it would have been obvious to one having ordinary skill in the art to modify the absorption sheet of Plischke with a wetlaid web such as taught in Young. The test for obviousness is not whether the features of a secondary reference may be bodily

incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See In re Keller, 642 F.2d 413, 208 USPQ 871 (CCPA 1981).

Arguments filed 4/18/05 state that none of the cited references disclose and/or suggest the invention as recited in claim 1. See the paragraph above with respect to the Plischke and Young references.

## Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to

consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

5. Claims 1, 3, 8, 10-12, 17, and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Plischke et al. USPN 5977014 in view of Young et al. USPN 5217445.

As to claims 1, 17, and 18, Plischke discloses a sanitary absorbent article 40 comprising: an upper layer 50 pervious to liquid; a lower layer 51 impervious to liquid; a transfer layer 42 (col. 16, lines 38-44); and, an absorbing core having an upper part and a lower part, the core is formed from an absorption sheet 41,43 and a superabsorbent material 44 adhered to an inner surface of the sheet. Plischke discloses the sheet comprises two opposite longitudinal sides, each said longitudinal side been bent onto the inner surface (Figure 9). Plischke discloses the sheet serves as supporting means for the superabsorbent material, serves as a distributing means for improving the distribution of applied liquids to be absorbed into the composite structure, and has excellent wet strength (col. 16, lines 11-37). It is old and well known in the art that airlaid and wetlaid webs are used to contain superabsorbent particles in absorbent structures. However, Plischke does not specifically disclose the sheet consists essentially of a wetlaid paper. Young teaches wetlaid structures maintain their capillary channels and void spaces better, which allows them to wick body fluids well because they suffer less wet collapse than similar air-laid structures. Young additionally teaches wetlaid webs are significantly stronger than airlaid structures from

the standpoint of tensile strength, which brings structural integrity to the web (Young col. 14, lines 2-12). It would have been obvious to one having ordinary skill in the art to modify the absorption sheet of Plischke with a wetlaid web for the benefits taught in Young. Plischke/Young discloses the absorbing core is embossed and perforated (Plischke Figures 15-18).

As to claim 3, see Plischke Figure 17. 3.

As to claim 8, Plischke/Young discloses the superabsorbent material has a Performance under Pressure capacity value of at least about 23 g/g under a confining pressure of 0.7 psi (Plischke col. 24, line 67 through col. 25, line 10).

As to claim 10, Plischke discloses an absorbent core for use in a sanitary absorbent article 40 the core having an upper part and a lower part, the core is formed from an absorption sheet 41,43 and a superabsorbent material 44 adhered to an inner surface of the sheet. The sheet 41,43 and superabsorbent material 44 primarily form the core (Figure 9). Plischke discloses the sheet comprises two opposite longitudinal sides, each said longitudinal side been bent onto the inner surface (Figure 9). Plischke discloses the sheet serves as supporting means for the superabsorbent material, serves as a distributing means for improving the distribution of applied liquids to be absorbed into the composite structure, and has excellent wet strength (col. 16, lines 11-37). It is old and well known in the art that airlaid and wetlaid webs are used to contain superabsorbent particles in absorbent structures. However, Plischke does not

specifically disclose the sheet consists essentially of a wetlaid paper. Young teaches wetlaid structures maintain their capillary channels and void spaces better, which allows them to wick body fluids well because they suffer less wet collapse than similar air-laid structures. Young additionally teaches wetlaid webs are significantly stronger than airlaid structures from the standpoint of tensile strength, which brings structural integrity to the web (Young col. 14, lines 2-12). It would have been obvious to one having ordinary skill in the art to modify the absorption sheet of Plischke with a wetlaid web for the benefits taught in Young.

As to claim 11, Plischke/Young discloses the absorbing core is embossed and perforated (Plischke Figures 15-18).

As to claim 12, see Plischke Figure 17. 3.

6. Claims 4, 5, 13, and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Plischke in view of Young as applied to claims 1 and 10 above and further in view of Hoey et al. USPN 3403681 and further in view of Schreiber USPN 2418907. Plischke/Young discloses the present invention substantially as claimed. However, Plischke/Young does not disclose the absorbent core comprises 2 to 15 elevations per cm² both in the upper part and in the lower part, 2 to 15 perforations per cm² both in the upper part and in the lower part. Hoey discloses an apertured absorbent core having apertures spaced at 10 per square inch. Hoey does not disclose the exact aperture range. However, Hoey recognizes the aperture range can be varied

Application/Control Number: 09/848,465

Art Unit: 3761

and this will affect the liquid distribution and comfort of the pad (Hoey col. 4, lines 14-29). Hoey, therefore recognizes the liquid distribution and comfort of the user is a result effective variable of aperture range. It would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the article of Plischke/Young with the claimed range of apertures, since discovering an optimum value of a result effective variable involves only routine skill in the art.

Plischke/Young/Hoey do not disclose the apertures being present on the upper and lower part of the core. Schreiber discloses an absorbent system with embossed surfaces on upper and lower parts of the core (Figure 3) for the benefit of providing pockets to retain materials in the core (Schreiber col. 4, lines 18-27). It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the invention of Plischke/Young/Hoey with an embossed surface on the upper and lower parts of the core for the benefits disclosed in Schreiber.

7. Claims 6, 7, and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Plischke in view of Young as applied to claim 1 above and further in view of Goldman et al. USPN 5669894.

As to claims 6 and 9, Plischke/Young does not disclose the superabsorbent material has an absorbency under load value of at least about 24 ml saline per gram of superabsorbent material and a Saline Flow Conductivity value of at least about 30 x 10<sup>-7</sup> cm<sup>3</sup> sec/g. Goldman discloses an absorbent article having superabsorbent materials having an absorbency under load value of at least about 24 ml saline per

gram of superabsorbent material (col. 4, lines 24-34) and a Saline Flow Conductivity value of at least about 30 x 10<sup>-7</sup> cm<sup>3</sup> sec/g (Goldman Abstract) for the purpose of minimizing gel blocking. It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate the superabsorbent of Goldman in the invention of Plischke/Young for the benefits disclosed in Goldman.

As to claim 7, Plischke/Young/Goldman do not disclose the superabsorbent material has a porosity of at least about 0.15. the claimed porosity. However, Plischke/Young/Goldman teaches porosity is an important measurement of the effectiveness of the superabsorbent (Goldman col. 13, line 35-63). It is evident that Plischke/Young/Goldman has a value for the porosity. Plischke/Young/Goldman recognizes the porosity can be varied and this will affect the permeability of the article. Plischke/Young/Goldman, therefore recognizes the permeability (SFC) of the superabsorbent layer is a result effective variable of porosity of the superabsorbent. It would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the article of Plischke/Young/Goldman with the claimed porosity, since discovering an optimum value of a result effective variable involves only routine skill in the art.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacqueline F. Stephens whose telephone number is (571) 272-4937. The examiner can normally be reached on Monday-Friday 9:00-5:30.

Application/Control Number: 09/848,465

Art Unit: 3761

Page 9

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Larry Schwartz can be reached on (571) 272-4390. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jacqueline F Stephens

Examiner

Art Unit 3761

May 31, 2005